

Ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.

10. **Fluoride Chemoprevention** supplements for children without fluoride in their water source
11. **Gonorrhea** preventive medication for the eyes of all newborns
12. **Hearing** screening for all newborns
13. **Height, Weight and Body Mass Index** measurements for children
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
14. **Hematocrit or Hemoglobin** screening for children
15. **Hemoglobinopathies** or sickle cell screening for newborns
16. **HIV** screening for adolescents at higher risk
17. **Immunization** vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:

- Diphtheria, Tetanus, Pertussis
- Haemophilus influenzae type b
- Hepatitis A
- Hepatitis B
- Human Papillomavirus
- Inactivated Poliovirus
- Influenza (Flu Shot)
- Measles, Mumps, Rubella
- Meningococcal
- Pneumococcal
- Rotavirus
- Varicella

Learn more about immunizations and see the latest vaccine schedules.

18. **Iron** supplements for children ages 6 to 12 months at risk for anemia
19. **Lead** screening for children at risk of exposure
20. **Medical History** for all children throughout development
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
21. **Obesity** screening and counseling
22. **Oral Health** risk assessment for young children
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years.
23. **Phenylketonuria (PKU)** screening for this genetic disorder in newborns
24. **Sexually Transmitted Infection (STI)** prevention counseling and screening for adolescents at higher risk
25. **Tuberculin** testing for children at higher risk of tuberculosis
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
26. **Vision** screening for all children

Learn more about the U.S. Preventive Services Task Force Recommendations.

Posted on: September 23, 2010

Last updated: September 27, 2012

Women

The eight new prevention-related health services marked with an asterisk (*) must be covered with no cost-sharing in plan years starting on or after August 1, 2012.

1. **Anemia** screening on a routine basis for pregnant women
2. **Bacteriuria** urinary tract or other infection screening for pregnant women
3. **BRCA** counseling about genetic testing for women at higher risk
4. **Breast Cancer Mammography** screenings every 1 to 2 years for women over 40
5. **Breast Cancer Chemoprevention** counseling for women at higher risk
6. **Breastfeeding** comprehensive support and counseling from trained providers, as well as access to breastfeeding supplies, for pregnant and nursing women*
7. **Cervical Cancer** screening for sexually active women
8. **Chlamydia Infection** screening for younger women and other women at higher risk
9. **Contraception**: Food and Drug Administration-approved contraceptive methods, sterilization procedures, and patient education and counseling, not including abortifacient drugs*
10. **Domestic and interpersonal violence** screening and counseling for all women*
11. **Folic Acid** supplements for women who may become pregnant
12. **Gestational diabetes** screening for women 24 to 28 weeks pregnant and those at high risk of developing gestational diabetes*
13. **Gonorrhea** screening for all women at higher risk
14. **Hepatitis B** screening for pregnant women at their first prenatal visit
15. **Human Immunodeficiency Virus (HIV)** screening and counseling for sexually active women*
16. **Human Papillomavirus (HPV) DNA Test**: high risk HPV DNA testing every three years for women with normal cytology results who are 30 or older*
17. **Osteoporosis** screening for women over age 60 depending on risk factors
18. **Rh Incompatibility** screening for all pregnant women and follow-up testing for women at higher risk
19. **Tobacco Use** screening and interventions for all women, and expanded counseling for pregnant tobacco users
20. **Sexually Transmitted Infections (STI)** counseling for sexually active women*
21. **Syphilis** screening for all pregnant women or other women at increased risk
22. **Well-woman visits** to obtain recommended preventive services*

[Learn more about Affordable Care Act Rules on Expanding Access to Preventive Services for Women.](#)
(Effective August 1, 2012)

26 Covered Preventive Services for Children

1. **Alcohol and Drug Use** assessments for adolescents
2. **Autism** screening for children at 18 and 24 months
3. **Behavioral** assessments for children of all ages
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
4. **Blood Pressure** screening for children
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
5. **Cervical Dysplasia** screening for sexually active females
6. **Congenital Hypothyroidism** screening for newborns
7. **Depression** screening for adolescents
8. **Developmental** screening for children under age 3, and surveillance throughout childhood
9. **Dyslipidemia** screening for children at higher risk of lipid disorders

Ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.

10. **Fluoride Chemoprevention** supplements for children without fluoride in their water source
11. **Gonorrhea** preventive medication for the eyes of all newborns
12. **Hearing** screening for all newborns
13. **Height, Weight and Body Mass Index** measurements for children
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
14. **Hematocrit or Hemoglobin** screening for children
15. **Hemoglobinopathies** or sickle cell screening for newborns
16. **HIV** screening for adolescents at higher risk
17. **Immunization** vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:
 - Diphtheria, Tetanus, Pertussis
 - Haemophilus influenzae type b
 - Hepatitis A
 - Hepatitis B
 - Human Papillomavirus
 - Inactivated Poliovirus
 - Influenza (Flu Shot)
 - Measles, Mumps, Rubella
 - Meningococcal
 - Pneumococcal
 - Rotavirus
 - Varicella

Learn more about immunizations and see the latest vaccine schedules.
18. **Iron** supplements for children ages 6 to 12 months at risk for anemia
19. **Lead** screening for children at risk of exposure
20. **Medical History** for all children throughout development
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
21. **Obesity** screening and counseling
22. **Oral Health** risk assessment for young children
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years.
23. **Phenylketonuria (PKU)** screening for this genetic disorder in newborns
24. **Sexually Transmitted Infection (STI)** prevention counseling and screening for adolescents at higher risk
25. **Tuberculin** testing for children at higher risk of tuberculosis
Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.
26. **Vision** screening for all children

Learn more about the U.S. Preventive Services Task Force Recommendations.

Posted on: September 23, 2010

Last updated: September 27, 2012